

Spotlighting



DTP 100,101,102,103



Type	DTP	Operating temperature range	0 to +35 °C
Warranty period	5 years	Median useful life L80B50	50000 hours
Light source	LEDtube 1200 mm, G13	Reflector material	Silver
Driver	Driver included	Optical cover/lens finish	Clear
Input voltage	220 - 240 V	Body material	Aluminium
Power factor	0,95	Finishing	White or Black
Power consumption tolerance	+/-10%	Installation	Track mounted
Power consumption	9 – 41 W depending on type	Impact resistance	IK02
Initial luminous flux	650 – 3750 lm depending on type	Ingress protection	IP20
Initial LED luminaire efficacy	86- 95 lm/W depending on type	Electrical safety	Class I or II
Luminous flux tolerance	+/- 10%	Application	• Shops • Show rooms • Meeting rooms • Circulation areas • Hospitality
Light color	Warm White – 3000 K Neutral White – 4000 K Cool White – 5000 K		
Color rendering index (CRI)	80 as a standard, 90 on request		




Benefits

- LED accent-lighting solution with a reasonable payback compared to conventional technologies
- Suitable for food and fashion retailers
- Available in a choice of black or white finish

Product family range

EOC	Description	Tube Diameter	Track adaptor	COB	COB POWER	System Power	FINISH	Beam Angle for the Reflector
700151452001	DTP100 LED650 9W 15DGR WH	66mm	Global 3phase	Bridgelux V8	6.2w	9w	White	15
700151452002	DTP100 LED650 9W 25DGR WH	66mm	Global 3phase	Bridgelux V8	6.2w	9w	White	25
700151452003	DTP100 LED650 9W 35DGR WH	66mm	Global 3phase	Bridgelux V8	6.2w	9w	White	35
700151452004	DTP100 LED650 9W 15DGR BK	66mm	Global 3phase	Bridgelux V8	6.2w	9w	Black	15
700151452005	DTP100 LED650 9W 25DGR BK	66mm	Global 3phase	Bridgelux V8	6.2w	9w	Black	25
700151452006	DTP100 LED650 9W 35DGR BK	66mm	Global 3phase	Bridgelux V8	6.2w	9w	Black	35
700151452007	DTP101 LED900 12W 15DGR WH	63mm	Global 3phase	Bridgelux V8	9w	12w	White	15
700151452008	DTP101 LED900 12W 25DGR WH	63mm	Global 3phase	Bridgelux V8	9w	12w	White	25
700151452009	DTP101 LED900 12W 35DGR WH	63mm	Global 3phase	Bridgelux V8	9w	12w	White	35
700151452010	DTP101 LED900 12W 15DGR BK	63mm	Global 3phase	Bridgelux V8	9w	12w	Black	15
700151452011	DTP101 LED900 12W 25DGR BK	63mm	Global 3phase	Bridgelux V8	9w	12w	Black	25
700151452012	DTP101 LED900 12W 35DGR BK	63mm	Global 3phase	Bridgelux V8	9w	12w	Black	35
700151452013	DTP101 LED1120 15W 15DGR WH	63mm	Global 3phase	Bridgelux V10	12.5w	15w	White	15
700151452014	DTP101 LED1120 15W 25DGR WH	63mm	Global 3phase	Bridgelux V10	12.5w	15w	White	25
700151452015	DTP101 LED1120 15W 35DGR WH	63mm	Global 3phase	Bridgelux V10	12.5w	15w	White	35
700151452016	DTP101 LED1120 15W 15DGR BK	63mm	Global 3phase	Bridgelux V10	12.5w	15w	Black	15
700151452017	DTP101 LED1120 15W 25DGR BK	63mm	Global 3phase	Bridgelux V10	12.5w	15w	Black	25
700151452018	DTP101 LED1120 15W 35DGR BK	63mm	Global 3phase	Bridgelux V10	12.5w	15w	Black	35
700151452019	DTP102 LED1750 20W 15DGR WH	78mm	Global 3phase	Lumileds 1205	18w	20w	White	15
700151452020	DTP102 LED1750 20W 25DGR WH	78mm	Global 3phase	Lumileds 1205	18w	20w	White	25
700151452021	DTP102 LED1750 20W 35DGR WH	78mm	Global 3phase	Lumileds 1205	18w	20w	White	35
700151452022	DTP102 LED1750 20W 50DGR WH	78mm	Global 3phase	Lumileds 1205	18w	20w	White	50
700151452023	DTP102 LED1750 20W 15DGR BK	78mm	Global 3phase	Lumileds 1205	18w	20w	Black	15
700151452024	DTP102 LED1750 20W 25DGR BK	78mm	Global 3phase	Lumileds 1205	18w	20w	Black	25
700151452025	DTP102 LED1750 20W 35DGR BK	78mm	Global 3phase	Lumileds 1205	18w	20w	Black	35
700151452026	DTP102 LED1750 20W 50DGR BK	78mm	Global 3phase	Lumileds 1205	18w	20w	Black	50
700151452027	DTP103 LED2450 28W 15DGR WH	91mm	Global 3phase	Lumileds 1205	24w	28w	White	15
700151452028	DTP103 LED2450 28W 25DGR WH	91mm	Global 3phase	Lumileds 1205	24w	28w	White	25
700151452029	DTP103 LED2450 28W 35DGR WH	91mm	Global 3phase	Lumileds 1205	24w	28w	White	35
700151452030	DTP103 LED2450 28W 50DGR WH	91mm	Global 3phase	Lumileds 1205	24w	28w	White	50
700151452031	DTP103 LED2450 28W 15DGR BK	91mm	Global 3phase	Lumileds 1205	24w	28w	Black	15
700151452032	DTP103 LED2450 28W 25DGR BK	91mm	Global 3phase	Lumileds 1205	24w	28w	Black	25
700151452033	DTP103 LED2450 28W 35DGR BK	91mm	Global 3phase	Lumileds 1205	24w	28w	Black	35
700151452034	DTP103 LED2450 28W 50DGR BK	91mm	Global 3phase	Lumileds 1205	24w	28w	Black	50
700151452035	DTP103 LED3700 41W 15DGR WH	91mm	Global 3phase	Lumileds 1208	37w	41w	White	15
700151452036	DTP103 LED3700 41W 25DGR WH	91mm	Global 3phase	Lumileds 1208	37w	41w	White	25
700151452037	DTP103 LED3700 41W 35DGR WH	91mm	Global 3phase	Lumileds 1208	37w	41w	White	35
700151452038	DTP103 LED3700 41W 50DGR WH	91mm	Global 3phase	Lumileds 1208	37w	41w	White	50
700151452039	DTP103 LED3700 41W 15DGR BK	91mm	Global 3phase	Lumileds 1208	37w	41w	Black	15
700151452040	DTP103 LED3700 41W 25DGR BK	91mm	Global 3phase	Lumileds 1208	37w	41w	Black	25
700151452041	DTP103 LED3700 41W 35DGR BK	91mm	Global 3phase	Lumileds 1208	37w	41w	Black	35
700151452042	DTP103 LED3700 41W 50DGR BK	91mm	Global 3phase	Lumileds 1208	37w	41w	Black	50



INDOOR LUMINAIRES